



PRIMO *Floriz*  
LUXURY VINYL PLANK

342 Pike Rd., Suite #14  
West Palm Beach, FL 33411  
Phone: 561-689-6866  
Fax: 561-697-5174  
Toll Free: 800-287-7019  
[info@patriotflooringsupplies.com](mailto:info@patriotflooringsupplies.com)

# Introducing Our Luxury Vinyl Planks & Tile



Patriot Flooring Supplies is proud to announce we are now the exclusive distributors of **PrimoFlorz LVP & LVT Products** in South Florida. PrimoFlorz' Luxury Vinyl Planks and Tiles are designed for use in commercial and residential applications and each of the collections feature a natural wood look and is available in the following thicknesses:

## **Luxury Vinyl Plaks**

- ◆ 2mm Dri-Back Glue Down Plank with an 8mil wear layer for medium duty performance
- ◆ 3mm Dri-Back Glue Down Plank with a 20mil wear layer topped with Maxim Shield UV cured ceramic finish
- ◆ 4.2mm Flex-E-Clic with a 12 mil wear layer topped with Maxim Shield UV cured ceramic finish
- ◆ 5mm Perfect Fit with Flex-E-Grip with a 20mil wear layer topped with Maxim Shield UV cured ceramic finish
- ◆ 5mm Heavyweight Flex-E-Clic with a 20mil wear layer topped with Maxim Shield UV cured ceramic finish

## **Luxury Vinyl Tile**

- ◆ 3mm Dri-Back Glue Down Vinyl tile with 12mil wear layer topped with Maxim Shield UV cured ceramic finish

PrimoFlorz rugged construction, including their Maxim Shield UV cured ceramic finish permits maximum durability ensuring long lasting beauty without the use of a floor finish. The composition is either 100% virgin materials (2mm & 3mm LVP) or 100% Pro-polymer virgin PVC with fiberglass reinforced sheets (4mm - 5mm LVP) which provides excellent resistance to abrasion, chipping, cracking, and permanent indentations for heavy-duty performance. These specifications are unique and designed to help conceal most substrate irregularities, and yet allow the plank to remain flexible for fast and economical installations. Finally, The surface on our 3mm through 4.2mm LVP includes a micro bevel embossed surface to enhance the unique texture of wood, while adding slip resistance qualities to the plank while our 5mm LVP also include a distressed process.

PrimoFlorz Luxury Vinyl Planks and Tiles are the perfect choice for lobbies, office buildings, banks, healthcare facilities, residential and commercial condominiums, or wherever both function and high design are essential. Patriot Flooring Supplies has made a commitment to stock several PrimoFlorz products in its South Florida warehouse locations for quicker turnaround time and we look forward to working with you on your next project!

# Product Specifications

|  | Provincial  | Wilmington            | Yorktown Click        | Santa Fe Grip         | Santa Fe Click        | Terra Tile           |
|--|---|-----------------------|-----------------------|-----------------------|-----------------------|----------------------|
| <b>PRODUCT INFORMATION</b>               |   |                       |                       |                       |                       |                      |
| Thickness                                | 2MM   | 3MM                   | 4.2MM                 | 5MM                   | 5MM                   | 3MM                  |
| Wear Layer                               | 8mil  | 20mil                 | 12mil                 | 20mil                 | 20mil                 | 12mil                |
| Available Colors                         | 8   | 6                     | 6                     | 8                     | 8                     | 6                    |
| Finish                                   | UV  | UV                    | UV                    | UV                    | UV                    | UV                   |
| Edge Detail                              | Micro Bevel   | Micro Bevel           | Micro Bevel           | Micro Bevel           | Micro Bevel           | Micro Bevel          |
| Embossing                                | Woodgrain/<br>Satin   | Woodgrain<br>Heavy    | Woodgrain<br>Heavy    | Distressed<br>Heavy   | Distressed<br>Heavy   | Natural<br>Stone     |
| <b>PRODUCT SIZE &amp; FT<sup>2</sup></b> |   |                       |                       |                       |                       |                      |
| Plank / Tile Size                        | 6" x 48"  | 5" x 48"              | 7.09" x 48"           | 7.25" x 48"           | 7.09" x 48"           | 18" x 18"            |
| Pieces Per Carton                        | 24  | 20                    | 12                    | 10                    | 10                    | 16                   |
| Sq/Ft Per Carton                         | 48 ft <sup>2</sup>  | 33.33 ft <sup>2</sup> | 28.36 ft <sup>2</sup> | 24.17 ft <sup>2</sup> | 23.64 ft <sup>2</sup> | 36 ft <sup>2</sup>   |
| Sq/Ft Per Pallet                         | 3168 ft <sup>2</sup>  | 2099 ft <sup>2</sup>  | 1418 ft <sup>2</sup>  | 1208 ft <sup>2</sup>  | 1182 ft <sup>2</sup>  | 1728 ft <sup>2</sup> |
| <b>WARRANTY INFORMATION</b>              |   |                       |                       |                       |                       |                      |
| Manufacturer Warranty                    | 1 Yr  | 1 Yr                  | 1 Yr                  | 1 Yr                  | 1 Yr                  | 1 Yr                 |
| Limited Commercial Wear                  | 7 Yrs   | 15 Yrs                | 12 Yrs                | 15 Yrs                | 15 Yrs                | 12 Yrs               |
| Limited Residential Warranty             | 15 Yrs  | 30 Yrs                | 25 Yrs                | 30 Yrs                | 30 Yrs                | 25 Yrs               |
| <b>TECHNICAL DATA</b>                    |   |                       |                       |                       |                       |                      |
| ASTM F 1700                              | Solid Vinyl Tile - Class III, Type B Fire Testing Information |                       |                       |                       |                       |                      |
| ASTM E 648                               | Critical Radiant Flux - Class 1 > .45 W/cm <sup>2</sup>       |                       |                       |                       |                       |                      |
| ASTM C 1028                              | Slip Resistance - > 0.60                                      |                       |                       |                       |                       |                      |
| ASTM F 970                               | Static Load - 2,000 PSI < .005"                               |                       |                       |                       |                       |                      |
| ASTM F 925                               | Resistance to Chemicals - No Change                           |                       |                       |                       |                       |                      |
| ASTM F 1514                              | Heat Stability of Color - ΔE , 8 Avg                          |                       |                       |                       |                       |                      |
| ASTM F 1515                              | Light Stability of Color - ΔE , 8 Avg                         |                       |                       |                       |                       |                      |
| ASTM F 1914                              | Residual Indentation - 3.4%                                   |                       |                       |                       |                       |                      |
| ASTM F 2199                              | Dimensional Stability - .020" / In Ft                         |                       |                       |                       |                       |                      |





**Additional Locations**

Delray Beach 561-278-6300  
 Jupiter 561-744-5006  
 Stuart 772-220-1322  
 Palm Beach 561-337-3970  
 Vero Beach 772-564-2444

**Colors & Price Charts**

**PROVINCIAL SERIES— 2mm Dri-Back Glue Down (STOCK ITEM)**

\$ \_\_\_\_\_ ft<sup>2</sup>



Savannah Oak    Natural Walnut    Gunstock Oak    Nutmeg Oak    Honey Red Oak    Washed Oak    Carmel Oak    Maple

**WILMINGTON SERIES— 3mm Dri-Back Glue Down (STOCK ITEM)**


\$ \_\_\_\_\_ ft<sup>2</sup>



Weathered Pine    Driftwood Pine    Chocolate Oak    Cinnamon Oak    Buckskin Oak    Rustic Maple

**YORKTOWN SERIES—4.2mm Flex-E-Click (STOCK ITEM)**

\$ \_\_\_\_\_ ft<sup>2</sup>




Rustic Oak    Driftwood Pine    Merlot Walnut    Historic Pine    Toffee Oak    Maple

**SANTA FE SERIES 5mm Heavyweight Flex-E-Click (STOCK ITEM)**

\$ \_\_\_\_\_ ft<sup>2</sup>

**SANTA FE SERIES 5mm Heavyweight Flex-E-Grip (SPECIAL ORDER)**



Weathered Pine    Barn Oak    Tigerwood    Bordeaux Acacia    Rustic Birch    Mountain Oak    Natural Acacia    Rustic Maple

**TERRA TILE SERIES—3mm Dri-Back Glue Down Luxury Vinyl Tile (STOCK ITEM)**

\$ \_\_\_\_\_ ft<sup>2</sup>



Earth    Iron Oxide    Clay    Field Stone    Sand Storm    Sand Beige

**Why Patriot Flooring**

The answer is simple...We have the best, most experienced team in South Florida and our warehouses are not only located in convenient locations for your crews, but we keep thousands of items in stock to help your business run as smoothly as possible. We work extremely hard to meet your needs on time and on budget and will always look at industry alternatives to save you money.

**THANK YOU FOR YOUR BUSINESS AND WE LOOK FORWARD TO YOUR CALL!**