

Safety Data Sheet

Revision Date: 27-Jun-2016

Version 1

1. IDENTIFICATION

Product Identifier Product Name	NS97 Exterior Primer
Other means of identification SDS #	NACP-002
Product Code	03071621, 030371620
Recommended use of the chemical	and restrictions on use
Recommended Use	Adhesives.
Details of the supplier of the safety	data sheet
Supplier Address National Applied Construction Product 3200 Main St. Akron, OH 44319	s, Inc.
Emergency Telephone Number	
Company Phone Number Emergency Telephone (24 hr)	1-800-633-4622 INFOTRAC 1-352-323-3500 (International) 1-800-535-5053 (North America)
	2. HAZARDS IDENTIFICATION
Appearance Yellow liquid	Physical state Liquid
Classification_	
Acute toxicity - Oral	
Carcinogenicity	
Specific target organ toxicity (repeated	d exposure)
<u>Signal Word</u> Danger Hazard statements	
Harmful if swallowed	
May cause cancer	

Odor Characteristic

Acute toxicity - Oral	Category 4
Carcinogenicity	Category 1B
Specific target organ toxicity (repeated exposure)	Category 1

Causes damage to organs through prolonged or repeated exposure



Precautionary Statements - Prevention

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Use personal protective equipment as required Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Do not breathe dust/fume/gas/mist/vapors/spray

Precautionary Statements - Response

If exposed or concerned: Get medical advice/attention IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell Rinse mouth

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other hazards

Harmful to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight-%
Methylene chloride	75-09-2	50-75
Mineral Spirits	8052-41-3	1-7
Cyclohexanone	108-94-1	1-7

If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First Aid Measures

General Advice	If exposed or concerned: Get medical advice/attention.
Eye Contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes.
Inhalation	Remove to fresh air.
Ingestion	Call a poison center or doctor/physician if you feel unwell. Rinse mouth.

Most important symptoms and effects

Symptoms Harmful if swallowed. May cause cancer. Causes damage to organs through prolonged or repeated exposure.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Carbon dioxide (CO2). Dry chemical. Foam. Water may be helpful in keeping adjacent containers cool; avoid spreading the liquid with water used for cooling. Water-based sprinkler systems may help contain larger fires.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Closed containers may rupture if exposed to fire or extreme heat. May produce toxic fumes if burning.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions	Use personal protective equipment as required. Remove all sources of	of ignition.
----------------------	----------------------------------------------------------------------	--------------

Environmental precautions

Environmental precautions Prevent further leakage or spillage if safe to do so. Do not allow material to contaminate ground water system. Prevent product from entering drains. Do not flush into surface water or sanitary sewer system. Local authorities should be advised if significant spillages cannot be contained.

Methods and material for containment and cleaning up

Methods for Containment	Prevent further leakage or spillage if safe to do so.
Methods for Clean-Up	Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers. Clean contaminated surface thoroughly.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Wash face, hands and any exposed skin thoroughly after handling. Do not eat, drink or smoke when using this product. Do not breathe dust/fume/gas/mist/vapors/spray.

Conditions for safe storage, including any incompatibilities

Storage Conditions	Store locked up. Keep away from extremes of heat or cold.
Incompatible Materials	Incompatible with strong acids and bases, alkali metals, halogens and strong oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Methylene chloride 75-09-2	TWA: 50 ppm	TWA: 25 ppm (vacated) TWA: 500 ppm (vacated) STEL: 2000 ppm 5 min in any 3 h (vacated) Ceiling: 1000 ppm STEL: 125 ppm see 29 CFR 1910.1052	IDLH: 2300 ppm
Mineral Spirits 8052-41-3	TWA: 100 ppm	TWA: 500 ppm TWA: 2900 mg/m ³ (vacated) TWA: 100 ppm (vacated) TWA: 525 mg/m ³	IDLH: 20000 mg/m ³ Ceiling: 1800 mg/m ³ 15 min TWA: 350 mg/m ³
Cyclohexanone 108-94-1	STEL: 50 ppm TWA: 20 ppm S*	TWA: 50 ppm TWA: 200 mg/m ³ (vacated) TWA: 25 ppm (vacated) TWA: 100 mg/m ³ (vacated) S*	IDLH: 700 ppm TWA: 25 ppm TWA: 100 mg/m ³

Appropriate engineering controls

Engineering Controls Showers. Eyewash stations. Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/Face Protection	Safety goggles or glasses or face shield required.
Skin and Body Protection	Protective gloves. Impervious clothing to prevent skin contact.
Respiratory Protection	Refer to 29 CFR 1910.134 for respiratory protection requirements.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Appearance Color	Liquid Yellow liquid Yellow	Odor Odor Threshold	Characteristic No data available
Property pH Melting Point/Freezing Point Boiling Point/Boiling Range Flash Point Evaporation Rate Flammability (Solid, Gas) Flammability Limits in Air Upper Flammability Limits Lower Flammability Limit Vapor Pressure Vapor Density Relative Density Water Solubility	ValuesNot availableNot determined40 °C / 104 °FNot applicableFaster than nBuAcLiquid-Not applicableN/AN/ANot availableHeavier than air1.192 g/LInsoluble in water	<u>Remarks • Method</u>	

Solubility in other solvents	Not determined	
Partition Coefficient	No data	
Auto-ignition Temperature	No data	
Property_	Values	Remarks • Method
Decomposition Temperature	No data	
Kinematic Viscosity	Not available	
Dynamic Viscosity	Not available	
Explosive Properties	No data available	
Oxidizing Properties	No data available	
Other Information	00%	
VOC Content (%)	29%	
VOC Content	49 g/L	
	125 g/L (less exempt and water)	
Bulk Density	9.93 lb/gal	

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

Conditions to Avoid

Heat, flames and sparks. Avoid temperature extremes. Incompatible Materials.

Incompatible Materials

Incompatible with strong acids and bases, alkali metals, halogens and strong oxidizing agents.

Hazardous Decomposition Products

Thermal decomposition can lead to release of irritating gases and vapors. Carbon monoxide, carbon dioxide, smoke and other unidentified organic compounds may be formed during combustion.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information	
Eye Contact	Avoid contact with eyes.
Skin Contact	Avoid contact with skin.
Inhalation	Do not inhale.
Ingestion	Harmful if swallowed.

Component Information

Chemical Name	ATEmix (oral)	ATEmix (dermal)	Inhalation LC50
Methylene chloride 75-09-2	= 1600 mg/kg (Rat)	-	= 53 mg/L (Rat)6 h = 76000 mg/m³ (Rat)4 h
Cyclohexanone 108-94-1	= 1544 mg/kg (Rat)	= 947 mg/kg (Rabbit)	= 8000 ppm (Rat)4 h

Information on physical, chemical and toxicological effects

Symptoms

Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity

May cause cancer.

Chemical Name	ACGIH	IARC	NTP	OSHA
Methylene chloride 75-09-2	A3	Group 2A	Reasonably Anticipated	Х
Cyclohexanone 108-94-1	A3	Group 3		

Legend

ACGIH (American Conference of Governmental Industrial Hygienists) A3 - Animal Carcinogen IARC (International Agency for Research on Cancer) Group 2A - Probably Carcinogenic to Humans Group 3 IARC components are "not classifiable as human carcinogens" NTP (National Toxicology Program) Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen OSHA (Occupational Safety and Health Administration of the US Department of Labor) X - Present

STOT - repeated exposure

Causes damage to organs through prolonged or repeated exposure.

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document.

ATEmix (oral)	1,945.00 mg/kg
ATEmix (dermal)	13,529.00 mg/kg
ATEmix (inhalation-gas)	10,000.00 mg/L
ATEmix (inhalation-dust/mist)	18.00 mg/L
ATEmix (inhalation-vapor)	458.73 mg/L

12. ECOLOGICAL INFORMATION

Ecotoxicity

Harmful to aquatic life with long lasting effects.

Component Information

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Methylene chloride 75-09-2	500: 72 h Pseudokirchneriella subcapitata mg/L EC50 500: 96 h Pseudokirchneriella subcapitata mg/L EC50	193: 96 h Lepomis macrochirus mg/L LC50 static 262 - 855: 96 h Pimephales promelas mg/L LC50 static 140.8 - 277.8: 96 h Pimephales promelas mg/L LC50 flow-through 193: 96 h Lepomis macrochirus mg/L LC50 flow- through	1532 - 1847: 48 h Daphnia magna mg/L EC50 Static 190: 48 h Daphnia magna mg/L EC50
Cyclohexanone 108-94-1	20: 96 h Chlorella vulgaris mg/L EC50	481 - 578: 96 h Pimephales promelas mg/L LC50 flow-through 8.9: 96 h Pimephales promelas mg/L LC50	800: 24 h Daphnia magna mg/L EC50

Persistence/Degradability

Not determined.

Bioaccumulation

Not determined.

<u>Mobility</u>

Chemical Name	Partition Coefficient
Methylene chloride 75-09-2	1.25
Cyclohexanone 108-94-1	0.86

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging	Disposal should be in accordance with applicable regional, national and local laws and regulations.

US EPA Waste Number

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Methylene chloride 75-09-2	U080	Included in waste streams: F001, F002, F024, F025, F039, K009, K010, K156, K157, K158		U080
Cyclohexanone 108-94-1		Included in waste stream: F039		U057

Chemical Name	RCRA - Halogenated Organic Compounds	RCRA - P Series Wastes	RCRA - F Series Wastes	RCRA - K Series Wastes
Methylene chloride	Category I - Volatiles		Toxic waste	
75-09-2			waste number F025	
			Waste description:	
			Condensed light ends, spent	
			filters and filter aids, and	
			spent desiccant wastes from	
			the production of certain	
			chlorinated aliphatic	
			hydrocarbons, by free radical	
			catalyzed processes. These	
			chlorinated aliphatic	
			hydrocarbons are those	
			having carbon chain lengths	
			ranging from one to and	
			including five, with varying	
			amounts and positions of	
			chlorine substitution.	

California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status
Methylene chloride	Toxic
75-09-2	

14. TRANSPORT INFORMATION

Note

Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances.

DOT	Not regulated
<u>IATA</u>	Not regulated

IMDG

Not regulated

15. REGULATORY INFORMATION

International Inventories

Chemical Name	TSCA	DSL/NDSL	EINECS/E LINCS	ENCS	IECSC	KECL	PICCS	AICS
Methylene chloride	Х	Х	Х	Present	Х	Present	Х	Х
Mineral Spirits	Х	Х	Х		Х	Present	Х	Х
Cyclohexanone	Х	Х	Х	Present	Х	Present	Х	Х

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

CERCLA

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Methylene chloride	1000 lb 1 lb		RQ 1000 lb final RQ
75-09-2			RQ 454 kg final RQ RQ 1 lb final
			RQ
			RQ 0.454 kg final RQ
Cyclohexanone	5000 lb		RQ 5000 lb final RQ
108-94-1			RQ 2270 kg final RQ

SARA 313

Chemical Name	CAS No.	Weight-%	SARA 313 - Threshold Values %
Methylene chloride - 75-09-2	75-09-2	50-75	0.1

CWA (Clean Water Act)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Methylene chloride		Х	Х	

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical Name	California Proposition 65
Methylene chloride - 75-09-2	Carcinogen

U.S. State Right-to-Know Regulations

NACP-002 - NS97 Exterior Primer

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Methylene chloride 75-09-2	X	Х	Х
Mineral Spirits 8052-41-3	Х	Х	Х
Cyclohexanone 108-94-1	Х	X	Х

16. OTHER INFORMATION

Flammability

Health Hazards 2 Health Hazards Not determined

Flammability Not determined

1

Instability 0 Physical hazards Not determined Special Hazards B Personal Protection Not determined

Issue Date: Revision Date: Revision Note: 25-May-2016 27-Jun-2016 New format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet